



PARATECH


LIFT ♦ SHIFT ♦ CONTAIN ♦ STABILIZE ♦ PENETRATE

MADE IN THE USA & USED WORLDWIDE

MODEL 346 - 14 LIFT BAG SET

Total Lift Capacity: 412.9 US Ton / 374.6 Metric Ton

Part No.	Net Weight: lb	kg
22-889346G2	262.0	118.8




Quantity	Part No.	Model	Dimensions in	Dimensions mm	Max Lifting Capacity US Ton / Met Ton	Max Lifting Height in / mm	WEIGHT lb / kg
1	22-888110G2	KPI-1	6 in x 6 in x 3/4 in	152 mm x 152 mm x 19 mm	1.5 / 1.3	3.0 / 76	1.2 / 0.6
1	22-888120G2	KPI-3	6 in x 12 in x 3/4 in	152 mm x 305 mm x 19 mm	3.5 / 3.2	3.5 / 89	2.3 / 1.0
1	22-888130G2	KPI-5	10 in x 10 in x 3/4 in	254 mm x 254 mm x 19 mm	5.4 / 4.9	5.4 / 137	3.1 / 1.4
1	22-888135G2	KPI-8	12 in x 12 in x 7/8 in	305 mm x 305 mm x 22 mm	8.2 / 7.5	6.4 / 163	5.5 / 2.5
1	22-888138G2	KPI-10	12 in x 18 in x 7/8 in	305 mm x 457 mm x 22 mm	12.9 / 11.7	7.1 / 180	8.3 / 3.7
1	22-888140G2	KPI-12	15 in x 15 in x 7/8 in	381 mm x 381 mm x 22 mm	13.7 / 12.4	8.1 / 206	8.8 / 4.0
1	22-888150G2	KPI-17	15 in x 21 in x 7/8 in	381 mm x 533 mm x 22 mm	19.0 / 17.3	9.0 / 226	12.0 / 5.4
1	22-888160G2	KPI-22	20 in x 20 in x 7/8 in	508 mm x 508 mm x 22 mm	25.6 / 23.2	10.8 / 274	15.9 / 7.2
1	22-888165G2	KPI-28	20 in x 26 in x 7/8 in	508 mm x 660 mm x 22 mm	34.0 / 30.9	11.8 / 299	20.1 / 9.1
1	22-888170G2	KPI-32	24 in x 24 in x 7/8 in	610 mm x 610 mm x 22 mm	38.0 / 34.4	13.0 / 330	22.0 / 10.0
1	22-888180G2	KPI-35L	15 in x 42 in x 7/8 in	381 mm x 1066 mm x 22 mm	39.5 / 35.8	9.5 / 241	24.5 / 11.1
1	22-888190G2	KPI-44	28 in x 28 in x 7/8 in	711 mm x 711 mm x 22 mm	52.7 / 47.8	15.3 / 388	30.0 / 13.6
1	22-888195G2	KPI-55	32 in x 32 in x 1 in	812 mm x 812 mm x 25 mm	69.7 / 63.3	17.0 / 432	45.2 / 20.5
1	22-888200G2	KPI-74	37 in x 37 in x 1 in	939 mm x 939 mm x 25 mm	89.2 / 80.9	20.0 / 508	58.0 / 26.3

MODEL 136 - 11 LIFT BAG SET

Total Lift Capacity: 242 US Ton / 220 Metric Ton

Part No.	Net Weight: lb	kg
22-889136G2	147.5	66.9



Quantity	Part No.	Model	Dimensions in	Dimensions mm	Max Lifting Capacity US Ton / Met Ton	Max Lifting Height in / mm	WEIGHT lb / kg
1	22-888110G2	KPI-1	6 in x 6 in x 3/4 in	152 mm x 152 mm x 19 mm	1.5 / 1.3	3.0 / 76	1.2 / 0.6
1	22-888120G2	KPI-3	6 in x 12 in x 3/4 in	152 mm x 305 mm x 19 mm	3.5 / 3.2	3.5 / 89	2.3 / 1.0
1	22-888130G2	KPI-5	10 in x 10 in x 3/4 in	254 mm x 254 mm x 19 mm	5.4 / 4.9	5.4 / 137	3.1 / 1.4
1	22-888140G2	KPI-12	15 in x 15 in x 7/8 in	381 mm x 381 mm x 22 mm	13.7 / 12.4	8.1 / 206	8.8 / 4.0
2	22-888150G2	KPI-17	15 in x 21 in x 7/8 in	381 mm x 533 mm x 22 mm	19.0 / 17.3	9.0 / 226	12.0 / 5.4
2	22-888160G2	KPI-22	20 in x 20 in x 7/8 in	508 mm x 508 mm x 22 mm	25.6 / 23.2	10.8 / 274	15.9 / 7.2
2	22-888170G2	KPI-32	24 in x 24 in x 7/8 in	610 mm x 610 mm x 22 mm	38.0 / 34.4	13.0 / 330	22.0 / 10.0
1	22-888190G2	KPI-44	28 in x 28 in x 7/8 in	711 mm x 711 mm x 22 mm	52.7 / 47.8	15.3 / 388	30.0 / 13.6

PARATECH

www.paratech.com

PARATECH HEADQUARTERS: P.O. BOX 1000, FRANKFORT, IL 60423 USA
TOLL FREE: +1 800 435 9358 PHONE: +1 815 469 3911 FAX: +1 815 469 7748 EMAIL: paratech@paratech.com

PARATECH EUROPE: P.O. BOX 174, 5260 ODENSE S, DENMARK
PHONE: +45 66 11 24 22 FAX: +45 66 11 32 EMAIL: paratech@paratech.dk



CERTIFICATE NO.
ISO9001:2008





PARATECH

LIFT ♦ SHIFT ♦ CONTAIN ♦ STABILIZE ♦ PENETRATE


MADE IN THE USA & USED WORLDWIDE

MODEL 245 - 10 LIFT BAG SET

Total Lift Capacity: 288.1 US Ton / 261.2 Metric Ton

Part No. Net Weight: lb kg

22-889245G2 182.0 82.6




Quantity	Part No.	Model	Dimensions in	Dimensions mm	Max Lifting Capacity US Ton / Met Ton	Max Lifting Height in / mm	WEIGHT lb / kg
1	22-888110G2	KPI-1	6 in x 6 in x 3/4 in	152 mm x 152 mm x 19 mm	1.5 / 1.3	3.0 / 76	1.2 / 0.6
1	22-888120G2	KPI-3	6 in x 12 in x 3/4 in	152 mm x 305 mm x 19 mm	3.5 / 3.2	3.5 / 89	2.3 / 1.0
1	22-888130G2	KPI-5	10 in x 10 in x 3/4 in	254 mm x 254 mm x 19 mm	5.4 / 4.9	5.4 / 137	3.1 / 1.4
1	22-888140G2	KPI-12	15 in x 15 in x 7/8 in	381 mm x 381 mm x 22 mm	13.7 / 12.4	8.1 / 206	8.8 / 4.0
1	22-888150G2	KPI-17	15 in x 21 in x 7/8 in	381 mm x 533 mm x 22 mm	19.0 / 17.3	9.0 / 226	12.0 / 5.4
1	22-888160G2	KPI-22	20 in x 20 in x 7/8 in	508 mm x 508 mm x 22 mm	25.6 / 23.2	10.8 / 274	15.9 / 7.2
1	22-888170G2	KPI-32	24 in x 24 in x 7/8 in	610 mm x 610 mm x 22 mm	38.0 / 34.4	13.0 / 330	22.0 / 10.0
1	22-888180G2	KPI-35L	15 in x 42 in x 7/8 in	381 mm x 1066 mm x 22 mm	39.5 / 35.8	9.5 / 241	24.5 / 11.1
1	22-888190G2	KPI-44	28 in x 28 in x 7/8 in	711 mm x 711 mm x 22 mm	52.7 / 47.8	15.3 / 388	30.0 / 13.6
1	22-888200G2	KPI-74	37 in x 37 in x 1 in	939 mm x 939 mm x 25 mm	89.2 / 80.9	20.0 / 508	58.0 / 26.3

MODEL 92 - 9 LIFT BAG SET

Total Lift Capacity: 151.3 US Ton / 137.2 Metric Ton

Part No. Net Weight: lb kg

22-889092G2 95.5 43.3



Quantity	Part No.	Model	Dimensions in	Dimensions mm	Max Lifting Capacity US Ton / Met Ton	Max Lifting Height in / mm	WEIGHT lb / kg
1	22-888110G2	KPI-1	6 in x 6 in x 3/4 in	152 mm x 152 mm x 19 mm	1.5 / 1.3	3.0 / 76	1.2 / 0.6
1	22-888120G2	KPI-3	6 in x 12 in x 3/4 in	152 mm x 305 mm x 19 mm	3.5 / 3.2	3.5 / 89	2.3 / 1.0
1	22-888130G2	KPI-5	10 in x 10 in x 3/4 in	254 mm x 254 mm x 19 mm	5.4 / 4.9	5.4 / 137	3.1 / 1.4
1	22-888140G2	KPI-12	15 in x 15 in x 7/8 in	381 mm x 381 mm x 22 mm	13.7 / 12.4	8.1 / 206	8.8 / 4.0
2	22-888150G2	KPI-17	15 in x 21 in x 7/8 in	381 mm x 533 mm x 22 mm	19.0 / 17.3	9.0 / 226	12.0 / 5.4
2	22-888160G2	KPI-22	20 in x 20 in x 7/8 in	508 mm x 508 mm x 22 mm	25.6 / 23.2	10.8 / 274	15.9 / 7.2
1	22-888170G2	KPI-32	24 in x 24 in x 7/8 in	610 mm x 610 mm x 22 mm	38.0 / 34.4	13.0 / 330	22.0 / 10.0

PARATECH

www.paratech.com

PARATECH HEADQUARTERS: P.O. BOX 1000, FRANKFORT, IL 60423 USA
TOLL FREE: +1 800 435 9358 PHONE: +1 815 469 3911 FAX: +1 815 469 7748 EMAIL: paratech@paratech.com

PARATECH EUROPE: P.O. BOX 174, 5260 ODENSE S, DENMARK
PHONE: +45 66 11 24 22 FAX: +45 66 11 32 EMAIL: paratech@paratech.dk



CERTIFICATE NO.
ISO9001:2008






PARATECH

LIFT ♦ SHIFT ♦ CONTAIN ♦ STABILIZE ♦ PENETRATE

MADE IN THE USA & USED WORLDWIDE

Total Lift Capacity: 218.4 US Ton / 198.1 Metric Ton




Quantity	Part No.	Model	Dimensions in	Dimensions mm	Max Lifting Capacity US Ton / Met Ton	Max Lifting Height in / mm	WEIGHT lb / kg
1	22-888140G2	KPI-12	15 in x 15 in x 7/8 in	381 mm x 381 mm x 22 mm	13.7 / 12.4	8.1 / 206	8.8 / 4.0
2	22-888150G2	KPI-17	15 in x 21 in x 7/8 in	381 mm x 533 mm x 22 mm	19.0 / 17.3	9.0 / 226	12.0 / 5.4
2	22-888160G2	KPI-22	20 in x 20 in x 7/8 in	508 mm x 508 mm x 22 mm	25.6 / 23.2	10.8 / 274	15.9 / 7.2
2	22-888170G2	KPI-32	24 in x 24 in x 7/8 in	610 mm x 610 mm x 22 mm	38.0 / 34.4	13.0 / 330	22.0 / 10.0
1	22-888180G2	KPI-35L	15 in x 42 in x 7/8 in	381 mm x 1066 mm x 22 mm	39.5 / 35.8	9.5 / 241	24.5 / 11.1

MODEL 140 - 8 LIFT BAG SET

Total Lift Capacity: 285.8 US Ton / 259.2 Metric Ton

Part No. Net Weight: lb kg

22-889140G2 169.4 76.8



Quantity	Part No.	Model	Dimensions in	Dimensions mm	Max Lifting Capacity US Ton / Met Ton	Max Lifting Height in / mm	WEIGHT lb / kg
1	22-888140G2	KPI-12	15 in x 15 in x 7/8 in	381 mm x 381 mm x 22 mm	13.7 / 12.4	8.1 / 206	8.8 / 4.0
2	22-888160G2	KPI-22	20 in x 20 in x 7/8 in	508 mm x 508 mm x 22 mm	25.6 / 23.2	10.8 / 274	15.9 / 7.2
2	22-888170G2	KPI-32	24 in x 24 in x 7/8 in	610 mm x 610 mm x 22 mm	38.0 / 34.4	13.0 / 330	22.0 / 10.0
1	22-888180G2	KPI-35L	15 in x 42 in x 7/8 in	381 mm x 1066 mm x 22 mm	39.5 / 35.8	9.5 / 241	24.5 / 11.1
2	22-888190G2	KPI-44	28 in x 28 in x 7/8 in	711 mm x 711 mm x 22 mm	52.7 / 47.8	15.3 / 388	30.0 / 13.6

MODEL 48 - 3 LIFT BAG SET

Total Lift Capacity: 91.0 US Ton / 82.5 Metric Ton

Part No. Net Weight: lb kg

22-889048G2 54.3 24.6



Quantity	Part No.	Model	Dimensions in	Dimensions mm	Max Lifting Capacity US Ton / Met Ton	Max Lifting Height in / mm	WEIGHT lb / kg
1	22-888150G2	KPI-17	15 in x 21 in x 7/8 in	381 mm x 533 mm x 22 mm	19.0 / 17.3	9.0 / 226	12.0 / 5.4
1	22-888165G2	KPI-28	20 in x 26 in x 7/8 in	508 mm x 660 mm x 22 mm	34.0 / 30.9	11.8 / 299	20.1 / 9.1
1	22-888170G2	KPI-32	24 in x 24 in x 7/8 in	610 mm x 610 mm x 22 mm	38.0 / 34.4	13.0 / 330	22.0 / 10.0

PARATECH

www.paratech.com

PARATECH HEADQUARTERS: P.O. BOX 1000, FRANKFORT, IL 60423 USA
TOLL FREE: +1 800 435 9358 PHONE: +1 815 469 3911 FAX: +1 815 469 7748 EMAIL: paratech@paratech.com

PARATECH EUROPE: P.O. BOX 174, 5260 ODENSE S, DENMARK
PHONE: +45 66 11 24 22 FAX: +45 66 11 32 EMAIL: paratech@paratech.dk



CERTIFICATE NO.
ISO9001:2008






PARATECH

LIFT ♦ SHIFT ♦ CONTAIN ♦ STABILIZE ♦ PENETRATE

MADE IN THE USA & USED WORLDWIDE

MODEL 234 - 7 LIFT BAG SET

Total Lift Capacity: 277.2 US Ton / 251.4 Metric Ton



Part No.	Net Weight: lb	kg
22-889234G2	174.0	78.9

Quantity	Part No.	Model	Dimensions in	Dimensions mm	Max Lifting Capacity US Ton / Met Ton	Max Lifting Height in / mm	WEIGHT lb / kg
1	22-888140G2	KPI-12	15 in x 15 in x 7/8 in	381 mm x 381 mm x 22 mm	13.7 / 12.4	8.1 / 206	8.8 / 4.0
1	22-888150G2	KPI-17	15 in x 21 in x 7/8 in	381 mm x 533 mm x 22 mm	19.0 / 17.3	9.0 / 226	12.0 / 5.4
1	22-888160G2	KPI-22	20 in x 20 in x 7/8 in	508 mm x 508 mm x 22 mm	25.6 / 23.6	10.8 / 274	15.9 / 7.2
1	22-888170G2	KPI-32	24 in x 24 in x 7/8 in	610 mm x 610 mm x 22 mm	38.0 / 34.4	13.0 / 330	22.0 / 10.0
1	22-888180G2	KPI-35L	15 in x 42 in x 7/8 in	381 mm x 1066 mm x 22 mm	39.5 / 35.8	9.5 / 241	24.5 / 11.1
1	22-888190G2	KPI-44	28 in x 28 in x 7/8 in	711 mm x 711 mm x 22 mm	52.7 / 47.8	15.3 / 388	30.0 / 13.6
1	22-888200G2	KPI-74	37 in x 37 in x 1 in	939 mm x 939 mm x 25 mm	89.2 / 80.9	20.0 / 508	58.0 / 26.3

MODEL 50 - 5 LIFT BAG SET

Total Lift Capacity: 102.9 US Ton / 93.3 Metric Ton



Part No.	Net Weight: lb	kg
22-889050G2	65.0	29.5

Quantity	Part No.	Model	Dimensions in	Dimensions mm	Max Lifting Capacity US Ton / Met Ton	Max Lifting Height in / mm	WEIGHT lb / kg
1	22-888140G2	KPI-12	15 in x 15 in x 7/8 in	381 mm x 381 mm x 22 mm	13.7 / 12.4	8.1 / 206	8.8 / 4.0
2	22-888150G2	KPI-17	15 in x 21 in x 7/8 in	381 mm x 533 mm x 22 mm	19.0 / 17.3	9.0 / 226	12.0 / 5.4
2	22-888160G2	KPI-22	20 in x 20 in x 7/8 in	508 mm x 508 mm x 22 mm	25.6 / 23.6	10.8 / 274	15.9 / 7.2

MODEL 52 - 5 LIFT BAG SET

Total Lift Capacity: 117.5 US Ton / 106.6 Metric Ton



Part No.	Net Weight: lb	kg
22-889052G2	72.2	32.7

Quantity	Part No.	Model	Dimensions in	Dimensions mm	Max Lifting Capacity US Ton / Met Ton	Max Lifting Height in / mm	WEIGHT lb / kg
1	22-888120G2	KPI-3	6 in x 12 in x 3/4 in	152 mm x 305 mm x 19 mm	3.5 / 3.2	3.5 / 89	2.3 / 1.0
2	22-888150G2	KPI-17	15 in x 21 in x 7/8 in	381 mm x 533 mm x 22 mm	19.0 / 17.3	9.0 / 226	12.0 / 5.4
2	22-888170G2	KPI-32	24 in x 24 in x 7/8 in	610 mm x 610 mm x 22 mm	38.0 / 34.4	13.0 / 330	22.0 / 10.0

PARATECH

www.paratech.com

PARATECH HEADQUARTERS: P.O. BOX 1000, FRANKFORT, IL 60423 USA
TOLL FREE: +1 800 435 9358 PHONE: +1 815 469 3911 FAX: +1 815 469 7748 EMAIL: paratech@paratech.com

PARATECH EUROPE: P.O. BOX 174, 5260 ODENSE S, DENMARK
PHONE: +45 66 11 24 22 FAX: +45 66 11 32 EMAIL: paratech@paratech.dk

